STATEMENT OF WORK FOR THE Rebuild of the Receiver-Transmitter RT-1113A/PRC-68A NSN 5820-01-229-6812

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes and sets forth tasks and identifies work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) in the rebuild effort of Transmitter-Transmitter RT-1113A/PRC-68A NSN 5820-01-229-6812. This document contains requirements to restore the RT-1113A/PRC-68A to Condition Code "A". Condition Code A is defined as serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining.
- 1.0 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy." This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items.
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. The current release of referenced documents is applicable to this SOW. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

RS 06827B-50 Rebuild Standard AN/PRC-68A

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel from the

Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9003-1994 Quality Systems – Model for Quality Assurance in

Final Inspection and Test.

JESD625 Requirements for Handling Electrostatic-

Discharge-Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and specifications are available from DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of ANSI/ESD S20.20-1999 can be obtained from ESD Association, 7900 Turin Road, Building 3, Suite 2, Rome, NY 13440-2069, (315) 339-6937, http://www.eosesd.org. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891) Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

- 3.0 REQUIREMENTS
- 3.1 The RT-1113A/PRC-68A shall be rebuilt/overhauled in accordance with RS 06827B-50.
- 3.2 Quality acceptance shall be completed in accordance with RS 06827B-50.
- 3.3 Packaging, Handling, Storage and Transportation (PHS&T)
- a. The Contractor shall be responsible for packaging and preservation of items to be delivered under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with level A requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment, immediate use or short-term storage shall be in accordance with level B requirements.
 - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with shipping address(es) for delivery of rebuilt equipment. The Contractor shall be responsible for arranging for shipment to pre-designated site(s). The Marine Corps will be responsible for transportation cost associated with shipping subject equipment to and from the Contractor.
- 3.4 <u>Configuration Control</u> The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to

an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

- 3.5 <u>Quality Assurance Provisions</u>. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/IS0/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Testing.
- 3.6 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption to the MCA.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, MILSTRIP Chapter 11 authorizes contractors to requisition through the DOD Supply System.
- 3.8 <u>Electrostatic Discharge (ESD) Control</u>. The ESD protective measure shall be used in manufacturing, repair, packaging, storing, and transportation of ESD sensitive components of AN/PRC-68A. The ESD identification markings on all ESD sensitive subassemblies shall be visible during equipment production/maintenance. The contractor shall establish, implement and document the ESD control program using *JESD625-A*.

3

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Department of Defanse, Washington Washington VA 22202-4302. Respondents should be aware that notwritistanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issed in Block E.

A. CONTRACT LINE	B. EXHIBIT C. CATEGORY:									
		"	-							
D. SYSTEMITEM		E. CONTRACT/PR		PR NO.	F. CONTR	F. CONTRACTOR				
Receiver-Transmitter 1. DATA ITEM NO. 2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE GROU
1. DATA ITEM NO.	Z. HILE UP DATA IFEM				a. SUBITILE					1,
A001 Request For Deviation				on		Configuration Management				
			5. CONTRACT REF	RENCE		6. REQUIRING OFFICE				18. ESTIMATED TOTAL PRICE
DI-			SOW 3.4		MCLB.	A (851)			INTACPRICE	
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUB		14. DISTRIBUTION				ıl
LT			ASREQ	13. DATE OF SUBSEQU	Slk 16	_	b. COPIES			
8. APP CODE	A	11. AS OF DA	ITE	SUBMISSION	ENI	a. ADDRESSEE	Draft Final			
16 REMARKS						MCLBA (851-2)	0	Reg 1	Repro	
	ctor format using					MCLD/(031-2)	1 0	[*] ·	· · <u>~</u>	
RIks 10.8-12 - REDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.								-		
documentation	g material which t L	ioes not i	neet prescri	bed configuratio.	11	-				
							<u> </u>			
RFDs will be reviewed and disposition determined within 20 working days upon receipt by the Government.							1			
RFDs shall be transmitted via e-mail to the following address:							 		<u> </u>	
RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil							+		\vdash	
				94 . 19	12		+-	·—		.
Distribution Statement A: Approved for public release, distribution is unlimited							+-			
							†			
							-			
							↓		ļI	
							-			
							+-			
						<u> </u>	+-	<u> </u>	· ·	
							+-			
							T			[[
								ļ		
							-			
							+	 -		
							+			
								t	$\mid - \mid$	
						<u> </u>	1			
									<u> </u>	
						15. TOTAL	0		0	1
G. PREPARED BY	_ 		H. DATE	I. APPRO	VED BY	3 1	J. DAT	E /		
1 16 th To 1 10/10/00								υ		
100 /(14 for 10.3-00) syang. 1000										
DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED.							Page _	of	Pages	